CT-4242-N-42SQCD-C

42x42 (Square) Plastic Container Pallet

Technical Data

Dimensions Weight 42x42x5.25 inches 29 lbs

Load Capacities Static Dynamic Racking Entry

20000 lbs 3000 lbs --

Entry Truckload Qty Stack TL --4-way 1260 42

TL (truckload) quantities are approximate and may vary by transport equipment or other factors.

Handling Data

Nestable Yes

Stackable No

Rackable No Reusability One-Way & Multi-Trip Destination Captive & Export


t Y

Airfreight Yes ISPM-15 Exempt Yes

Food Grade Yes, non-FDA

Pharmaceutical Yes







Materials and Colors

Condition New

Material

Color Black / Gray

HDPE/PP (Recycled) (Economical C-Grade)

Deck Specs

Top Deck Closed

Bottom Deck 9 Feet - Nesting

Available Option: Durable B-Grade Material

Features

Economical C-Grade material blend does not include colorant and may result in varied pallet colors. Material formulation also has no impact modifiers resulting in a rigid pallet.

- Cut to size using C grade of our CT-4545-N-45SQCD pallet. May result in +/-0.25" size variation.
- Great for Super Sack or Gaylord
- Nesting saves storage & shipping costs
- Cubes out shipping container to save costs
- Designed for Super Sack® and drum loads
- Easy-to-clean hygienic design
- Suitable for packaged food items (not approved for direct food contact)
- . Impervious to acids, fats, solvents and odors
- Resists water absorption & bacteria growth
- Inert to infestation, mold and mildew
- Consistently dimensionally accurate
- Exempt from ISPM 15 shipping regulations




Spec Sheet Generated On: 6/1/2024

Specs subject to change without notice. Provided for informational purposes only. Technical data are guideline values and may vary based on intended use, features, raw materials and environment. Nothing shall be construed as warranties or guarantees, express or implied, regarding products or their use, application, performance or otherwise.

CT-4242-N-42SQCD-C

42x42 (Square) Plastic Container Pallet

Technical Drawings





Tech Sheet Generated On: 6/1/2024

Specs subject to change without notice. Provided for informational purposes only. Technical data are guideline values and may vary based on intended use, features, raw materials and environment. Nothing shall be construed as warranties or guarantees, express or implied, regarding products or their use, application, performance or otherwise.

